





Dent Repair








PIN WELD & SHRINK









The MAXI is a high quality dent pulling system that saves time, improves productivity and produces a cleaner, better repair
240 Volt Single Phase ○ Includes storage cabinet and pulling accessories

POPULAR

DF503 Short Welding Rod for DF505 Maxi System







DF503T Handle Trigger Switch for DF505 Maxi System



WK930 100mm Bear Claw - 4 **Finger**



☼ Designed to use with our WW16 or WW20 Wiggle Wire for pulling out smaller creased panels

WK932 150mm Bear Claw - 9 **Finger**



Use the larger Clamp for heavier creased panels Use with our WW16 or WW20 Wiggle Wire

NEW DESIGN



Made from hardened steel Fits #WK930 and #WK932 Bear Claws

DF503KEM Brass Magnetic **Key Electrode for DF505**



Gives the DF505 the ability to weld-on pull washers to panels

WW16 Wiggle Wire 1.6mm - Pkt 64



O High Quality Suits WK930 and WK932 bear claws

DF20250 Stud Weld Pins 2.0mm - Pkt 250



BMSW01 Straight Weld-On Pull Washer - Pkt 25





MEC090 Magnetic Ground **Earth Clamp for DF505**



- High-strength magnet attaches to
- Copper stud gives longer life & higher efficiency

WW20 Wiggle Wire 2.00mm - Pkt 29



DF26250 Stud Weld Pins 2.6mm - Pkt 250



BMTW02 Twisted Weld-On Pull Washer - Pkt 25



BMSTARW Copper Star Pull Washers - Pkt 5



HALLAM BRANCH t. 03 9703 1522 alpoz.com.au e. sales@alpoz.com.au





Dent Repair
















































case







Dent Repair



SWP020 Plug Weld Pliers



Copper alloy base plate prevents weld penetration to the base plate

PA804A 4 Ton Collision Repair Porto Power Kit Includes:

- Heavy duty hand pump
- Hydraulic spreader / wedgeExtension tubes
- Couplings flat base, v-base, wedge head, plunger toe, cylinder toe, rubber head & serrated head
- Storage box included



Paintless Dent Repair

VSH125 Vacuum Dent Puller Slide-Hammer Kit - 3 Cups

Ouick results without needing to remove interior trims to gain access behind the panel • Avoid the risk of damage to the vehicle's interior components 3 The soft rubber suction cup helps avoid further damage to the painted surface Paintless dent removal applications



GHS100 G-Handle Suction Cup -100mm






O NEW O

O NEW O

C Flexible rubber pad with handle that can be used to pull small dents

PDRK33 Paintless Dent Removal Kit - 33 Pc



Comprehensive kit designed to massage cosmetic damage including door dings and hail damage Supplied in a robust carry case orods 30cm to 92cm

Rods from 25cm to 85cm





PDRK-TIPS Nylon Tips for PDRK33 Kit



PDR2402 PDR Line Reflector Board

Use with PDR repair tools



PDR250K4 PDR Hook-Rod Set w/ Adjustable Handle - 4 Pc



Rods from 30cm to 45cm Handles swivel 360

O NEW O



Aluminium and Plastic Glue Tabs

HALLAM BRANCH t. 03 9703 1522 alpoz.com.au e. sales@alpoz.com.au