



INDUSTRIAL RANGE



2022


Self-Adhesive Sponge Seals

OZ-019-RL66



✱ EPDM Sponge ✱ 66m Roll

OZ-50449-RL33



✱ EPDM Sponge ✱ 33m Roll


OZ-50109-RL33



✱ EPDM Sponge ✱ 33m Roll


NEW

OZ-135AT-RL33




✱ EPDM Sponge ✱ 33m Roll

OZ-5036-RL228



✱ EPDM Sponge ✱ 228.6m Roll


OZ-5036-2-RL33



✱ EPDM Sponge ✱ 33m Roll

TPR


OZ-TP95-RL50




✱ TPR ✱ 50m Roll

Universal Tailgate Seal

OZ-TGSEAL-RL33




✱ EPDM Sponge ✱ 33m Roll



Pinchweld PVC Trims - 50m Rolls

090Z059-RL50


BLACK



Grip Range: 0.5 - 1.0mm

090Z063-RL50


BLACK



Grip Range: 1.0 - 2.0mm

07ES18-RL50


BLACK



Grip Range: 0.5 - 1.2mm

090Z035-RL50


BLACK



Grip Range: 0.5 - 2.0mm

090Z037-RL50


BLACK



Grip Range: 1.5 - 4.5mm

090Z056-RL50


BLACK



Grip Range: 1.0 - 3.5mm

090Z719-RL50

BLACK




Grip Range: 0.5 - 1.2mm

090Z173-RL50

BLACK


NEW



Grip Range: 0.5 - 1.2mm

186N12-RL50


BLACK



Grip Range: 0.8 - 3.5mm

186R12-RL50


RED



Grip Range: 0.8 - 3.5mm

186G12-RL50


GREY



Grip Range: 0.8 - 3.5mm

186B12-RL50


BROWN



Grip Range: 0.8 - 3.5mm

090Z083B-RL50


BLACK



Grip Range: 4.0 - 5.5mm

090Z083G-RL50


GREY



Grip Range: 4.0 - 5.5mm

090Z295B-RL50


BLACK



Grip Range: 2.0 - 5.0mm

090Z295W-RL50

WHITE




Grip Range: 2.0 - 5.0mm

090Z222-RL50

BLACK


EPDM



Grip Range: 1.0 - 4.0mm

Marine Pinchweld PVC Trim - With Aluminium Clip

09AP623W




Grip Range: 1.5 - 4.3mm
 ✦ 61m Roll ✦ Marine Grade with
 Aluminium Clip
 ✦ by the metre




Pinchweld Co Extrusions - 50m Rolls

090Z2360-RL50




Grip Range: 1.0 - 2.0mm

090Z2359-RL50




Grip Range: 1.0 - 2.5mm

090Z053-RL50



Grip Range: 0.5 - 4.0mm
Wire Cage

090Z058-RL50



Grip Range: 1.0 - 2.0mm
PVC-EPDM Sponge

NEW

090Z040-RL50



Grip Range: 0.8 - 2.5mm

090Z555-RL50



Grip Range: 0.8 - 2.5mm
PVC-EPDM Sponge

090Z054-RL50



Grip Range: 0.8 - 3.0mm
PVC-EPDM Sponge

090Z004-RL50




Grip Range: 1.0 - 4.0mm

09LR08-RL50




Grip Range: 0.8 - 3.0mm

090Z017-RL50




Grip Range: 0.8 - 4.0mm

09BR07-RL50




Grip Range: 1.5 - 5.6mm

090Z013-RL50



Grip Range: 1.0 - 4.0mm

090Z014-RL50



Grip Range: 1.0 - 4.0mm


NEW

090Z707-RL50



Grip Range: 1.0 - 4.0mm

12SU07-RL50



Grip Range: 0.8 - 2.5mm


090Z060-RL50



Grip Range: 2.0 - 5.0mm


Pinchweld Co Extrusions - 50m Rolls cont...

090Z057-RL50




Grip Range: 1.0 - 2.0mm

090Z051-RL50




Grip Range: 0.5 - 4.0mm
Wire Cage

090Z111-RL50




Grip Range: 1.0 - 4.5mm
Wire Cage

090Z005-RL50




Grip Range: 1.0 - 2.5mm

090Z010-RL50



Grip Range: 1.0 - 3.0mm

090Z006-RL50



Grip Range: 1.0 - 4.0mm

090Z166-RL50



Grip Range: 0.8 - 2.0mm

090Z002-RL50



Grip Range: 0.8 - 4.0mm


090Z001-RL50



Grip Range: 1.0 - 2.5mm

Special Order Extrusions

090Z300-RL50



Grip Range: 0.5 - 2.0mm

ALP OZ have a number of custom extrusions available on Special Order that may suit your application. We are also able to design, test and create unique products to suit your project.

ROUND EPDM RUBBER SPONGE CORD - 30m ROLLS


CODE	CORD DIAMETER
OZSP216	5mm
OZSP143	7mm
OZSP138	10mm
OZSP144	15mm
OZSP498	19mm

CORD DIAMETER



RECTANGULAR EPDM RUBBER SPONGE EXTRUSION - 30m ROLLS

CODE	THICKNESS	WIDTH
OZSP497	3mm	32mm
OZSP495	3mm	38mm
OZSP400	6mm	6mm
OZSP401	6mm	13mm
OZSP402	6mm	19mm
OZSP403	6mm	25mm
OZSP431	6mm	32mm
OZSP404	6mm	38mm
OZSP488	6mm	50mm
OZSP405	10mm	10mm
OZSP406	10mm	13mm
OZSP501	10mm	17.5mm
OZSP8757	10mm	19mm
OZSP487	10mm	25mm
OZSP545	10mm	38mm
OZSP408	13mm	13mm
OZSP410	13mm	19mm
OZSP411	13mm	25mm
OZSP414	13mm	50mm
OZSP423	19mm	19mm
OZSP427	19mm	25mm
OZSP424	19mm	32mm
OZSP425	19mm	38mm
OZSP428	25mm	25mm
OZSP467	25mm	32mm
OZSP429	25mm	38mm
OZSP473	25mm	50mm



Other sizes, available on request.

SELF-ADHESIVE EPDM FOAM TAPES

CODE	THICKNESS	WIDTH	ROLL LENGTH
OZ-8015-12-RL25	1.5mm	12mm	25m
OZ-8015-16-RL25	1.5mm	16mm	25m
OZ-8015-19-RL25	1.5mm	19mm	25m
OZ-43032-12-RL24	3.2mm	12mm	24m
OZ-43032-16-RL24	3.2mm	16mm	24m
OZ-43032-19-RL24	3.2mm	19mm	24m
OZ-43048-12-RL16	4.8mm	12mm	16m
OZ-43048-16-RL16	4.8mm	16mm	16m
OZ-43048-19-RL16	4.8mm	19mm	16m
OZ-43064-12-RL12	6.4mm	12mm	12m
OZ-43064-16-RL12	6.4mm	16mm	12m
OZ-43064-19-RL12	6.4mm	19mm	12m
OZ-43127-12-RL06	12.7mm	12mm	6m
OZ-43127-16-RL06	12.7mm	16mm	6m
OZ-43127-19-RL06	12.7mm	19mm	6m


Other sizes, materials and densities are available on request.

Reinforced NR/SBR Sheet Rubber




CODE	THICKNESS	WIDTH	ROLL LENGTH	REINFORCED
OZ1.5-120RS	1.5mm	1200mm	10m	COTTON
OZ3-120RS	3mm	1200mm	10m	COTTON
OZ4.5-120RS	4.5mm	1200mm	10m	COTTON
OZ6-120RS	6mm	1200mm	10m	COTTON
OZ9.5-120RS	9.5mm	1200mm	10m	COTTON

Checker Plate SBR Matting




CODE	THICKNESS	WIDTH	ROLL LENGTH	REINFORCED
OZ3.5-120CP	3.5mm	1200mm	10m	NO

Wide Rib SBR Sheet Matting



CODE	THICKNESS	WIDTH	ROLL LENGTH	REINFORCED
OZ3.5-183WR	3.5mm	1830mm	10m	NO
OZ5-183WR	5mm	1830mm	10m	COTTON


Ute Matting



CODE	THICKNESS	WIDTH	ROLL LENGTH
OZ-183UM	10mm	1830mm	10m




ANTI VIBRATION PAD - EPDM RUBBER



CODE	SIZE	THICKNESS
OZ-AV450	450mm*450mm	8mm


ANTI FATIGUE SLIP MAT



CODE	SIZE	THICKNESS
OZ-AFM12	910mm*1530mm	12mm


Wheel Arch Flares

OZ-WAF45-RL3




★ 3m Roll

OZ-WAF45-RL6




★ 6m Roll

OZ-WAF70-RL3



★ 3m Roll

OZ-WAF70-RL6




★ 6m Roll



FLOCKING - BAILEY CHANNEL - 30m ROLLS

FL622-RL30



★ Suits Commodore VB-VL pillar

FL502-RL30




★ Suits Ford XD-XF Pillar and other

FL501-RL30




★ Various Falcon ★ Some F100 pillar

FL1150-RL30




★ Suits Holden HQ-WB

FL500-RL30



★ Suits Commodore VB-VL main bailey

FL068-RL30



★ Universal ★ Suits Holden FX-HG

FL026-RL30



★ Universal

FL020-RL30




★ Fits Coaster / Hi Ace / Troopy Bus Dual Sliding Windows


Dimensions shown above are for the size of the flocking after it has been installed.

GLAZING RUBBERS - 30m ROLLS

OZ-GL1-RL30



OZ-GL2-RL30




OZ-ACCOLOCK-RL30




International Trucks Locking Strip

OZ-08-RL30




Use OZ-GL1 Locker

OZ-VAN-RL30




Use OZ-GL1 Locker

OZ-7782-RL30




Use OZ-GL2 Locker

OZ-1059-RL30




Use OZ-GL2 Locker

OZ-G5-RL30




Use OZ-GL2 Locker

OZ-PBR-RL30




✶ Includes locker

OZ-BUS-RUB-RL30




Use OZ-GL2 Locker

OZ-1317-RL30




Use OZ-GL2 Locker

OZ-1318-RL30




GLAZING RUBBERS - 30m ROLLS cont...


OZ-SL08-RL30




OZ-SL1059-RL30



OZ-SL7782-RL30



OZ-SL265-RL30




OZ-CAT10-RL30




✳ Fits 10mm glass

WOB-101-RL30




Use OZ-GL1 Locker


OZ-G209-RL30



OZ-G309-RL30




OZ-G703-RL30




NEW

OZ-G704-RL30




NEW


OZ-R3250-RL50




WHEEL CHOCKS




CODE	LENGTH	WIDTH	HEIGHT
WC103	140mm	100mm	76mm



CODE	LENGTH	WIDTH	HEIGHT
WC102	160mm	150mm	120mm



CODE	LENGTH	WIDTH	HEIGHT
WC104	275mm	150mm	140mm



CODE	LENGTH	WIDTH	HEIGHT
WC101	185mm	235mm	150mm

Established in 1984, with the aim of giving its customers the best in polymer application sealing, ALP Group today is India's leading producer of automotive, industrial as well as consumer application sealing products. Spanning a diverse market comprising automotive, construction, consumer, railways, miscellaneous door and window applications and more, ALP's R&D Engineering Team develops innovative areas of sealing applications with rubber as its base product.

A pioneer in introducing EPDM weatherstrips in India, ALP has diversified into automotive applications, PVC thermoplastic and Santoprene products, insulation rubber sheets and tubs for HVAC & R applications. We offer expert and cost-effective services, right from indigenous compound formulation to production of the finished product.



THE ALP GROUP

INNOVATION

At ALP we have a culture of innovation where we encourage the free flow of ideas amongst our team of professionals. Our emphasis is on combining a scientific approach with engineering skills to create products of unmatched quality and exceptional service. Customer satisfaction being our focus and goal, we strive consistently for integration in technology.


DESIGN & DEVELOPMENT

ALP's team of 25 highly qualified and dependable engineering design personnel are one of our most valued resources, making extensive use of their product development expertise of over 15 years. Equipped with advanced design software, like CATIA V5 and AUTOCAD, our design stations and professional team are geared to developing customized products in a short lead-time.

TESTING & EVALUATION

At ALP we ensure that our products undergo rigorous testing and evaluation. Advanced state-of-the-art equipment is used to ensure maximum utility and satisfaction for the customer. Our equipment can test for properties such as water absorption, material thickness, specific gravity, cracking, hardness, wear resistance, viscosity, melting temperature, thermal insulation, molecular composition and more.

ALP – A Global Family Of Companies



ALP – Supplying Key Industry Segments and Customer Brands

Automotive Industry

Mass Transit & Heavy Duty

Building

HVAC & R

